

PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books
Search PubMed	for lethal toxin neutralizing factor						Go	Clear
Limits		Preview/Index		History		Clipboard		Details

Display	Summary	Show: 20	Sort	Send to	Text
Items 21-40 of 80			Previous	Page 2 of 4	Next

Entrez PubMed

☐ **21:** [Zhang GH, Mann DM, Tsai CM.](#) [Related Articles, Links](#)

Neutralization of endotoxin in vitro and in vivo by a human lactoferrin-derived peptide.

Infect Immun. 1999 Mar;67(3):1353-8.

PMID: 10024582 [PubMed - indexed for MEDLINE]

☐ **22:** [Calandra T, Spiegel LA, Metz CN, Bucala R.](#) [Related Articles, Links](#)

Macrophage migration inhibitory factor is a critical mediator of the activation of immune cells by exotoxins of Gram-positive bacteria.

Proc Natl Acad Sci U S A. 1998 Sep 15;95(19):11383-8.

PMID: 9736745 [PubMed - indexed for MEDLINE]

PubMed
Services☐ **23:** [Omer FM, Riley EM.](#) [Related Articles, Links](#)

Transforming growth factor beta production is inversely correlated with severity of murine malaria infection.

J Exp Med. 1998 Jul 6;188(1):39-48.

PMID: 9653082 [PubMed - indexed for MEDLINE]

Related
Resources☐ **24:** [Ismail M, Abd-Elsalam MA, Al-Ahaidib MS.](#) [Related Articles, Links](#)

Pharmacokinetics of 125I-labelled Walterinnesia aegyptia venom and its distribution of the venom and its toxin versus slow absorption and distribution of IGG, F(AB')₂ and F(AB) of the antivenin.

Toxicon. 1998 Jan;36(1):93-114.

PMID: 9604285 [PubMed - indexed for MEDLINE]

☐ **25:** [Hattori K, Hirano T, Miyajima H, Yamakawa N, Tateno M, Oshimi K, Kayagaki N, Yagita H, Okumura K.](#) [Related Articles, Links](#)

Differential effects of anti-Fas ligand and anti-tumor necrosis factor alpha antibodies on acute graft-versus-host disease pathologies.

Blood. 1998 Jun 1;91(11):4051-5.

















PMID: 9596649 [PubMed - indexed for MEDLINE]

☐ **26:** [Zhou P, Miller G, Seder RA.](#) [Related Articles, Links](#)

Factors involved in regulating primary and secondary immunity to infection with Histoplasma capsulatum: TNF-alpha plays a critical role in maintaining secondary immunity in the absence of IFN-gamma.

J Immunol. 1998 Feb 1;160(3):1359-68.

PMID: 9570555 [PubMed - indexed for MEDLINE]

-  **27:** [Little SF, Ivins BE, Fellows PF, Friedlander AM.](#) Related Articles, Links
 **Passive protection by polyclonal antibodies against Bacillus anthracis infection in guinea pigs.**
Infect Immun. 1997 Dec;65(12):5171-5.
PMID: 9393812 [PubMed - indexed for MEDLINE]
-  **28:** [Iversen PO, Rodwell RL, Pitcher L, Taylor KM, Lopez AF.](#) Related Articles, Links
 **Inhibition of proliferation and induction of apoptosis in juvenile myelomonocytic leukemic cells by the granulocyte-macrophage colony-stimulating factor analogue E21R.**
Blood. 1996 Oct 1;88(7):2634-9.
PMID: 8839857 [PubMed - indexed for MEDLINE]
-  **29:** [Sjostedt A, North RJ, Conlan JW.](#) Related Articles, Links
 **The requirement of tumour necrosis factor-alpha and interferon-gamma for the expression of protective immunity to secondary murine tularaemia depends on the size of the challenge inoculum.**
Microbiology. 1996 Jun;142-(Pt 6):1369-74.
PMID: 8704976 [PubMed - indexed for MEDLINE]
-  **30:** [Jacobs F, Dubois C, Carlier Y, Goldman M.](#) Related Articles, Links
 **Administration of anti-CD3 monoclonal antibody during experimental Chagas' disease induces CD8+ cell-dependent lethal shock.**
Clin Exp Immunol. 1996 Feb;103(2):233-8.
PMID: 8565305 [PubMed - indexed for MEDLINE]
-  **31:** [Yuen R, Cai B, Khoo HE.](#) Related Articles, Links
 **Production and characterization of monoclonal antibodies against stonustoxin from Synanceja horrida.**
Toxicon. 1995 Dec;33(12):1557-64.
PMID: 8866613 [PubMed - indexed for MEDLINE]
-  **32:** [Barsig J, Kusters S, Vogt K, Volk HD, Tiegs G, Wendel A.](#) Related Articles, Links
 **Lipopolysaccharide-induced interleukin-10 in mice: role of endogenous tumor necrosis factor-alpha.**
Eur J Immunol. 1995 Oct;25(10):2888-93.
PMID: 7589088 [PubMed - indexed for MEDLINE]
-  **33:** [Peper RL, Van Campen H.](#) Related Articles, Links
 **Tumor necrosis factor as a mediator of inflammation in influenza A viral pneumonia.**
Microb Pathog. 1995 Sep;19(3):175-83.
PMID: 8559046 [PubMed - indexed for MEDLINE]
-  **34:** [Battafarano RJ, Dahlberg PS, Ratz CA, Johnston JW, Gray BH, Haseman JR, Mayo KH, Dunn DL.](#) Related Articles, Links
 **Peptide derivatives of three distinct lipopolysaccharide binding proteins inhibit lipopolysaccharide-induced tumor necrosis factor-alpha secretion in vitro.**
Surgery. 1995 Aug;118(2):318-24.
PMID: 7638748 [PubMed - indexed for MEDLINE]

- ☐ **35:** [Remick D, Manohar P, Bolgos G, Rodriguez J, Moldawer L, Wollenberg G.](#) [Related Articles, Links](#)



Blockade of tumor necrosis factor reduces lipopolysaccharide lethality, but not the lethality of cecal ligation and puncture.

Shock. 1995 Aug;4(2):89-95.

PMID: 7496903 [PubMed - indexed for MEDLINE]

- ☐ **36:** [Vogels MT, Eling WM, Otten A, van der Meer JW.](#) [Related Articles, Links](#)



Interleukin-1 (IL-1)-induced resistance to bacterial infection: role of the type I IL-1 receptor.

Antimicrob Agents Chemother. 1995 Aug;39(8):1744-7.

PMID: 7486912 [PubMed - indexed for MEDLINE]

- ☐ **37:** [Bucklin SE, Lake P, Logdberg L, Morrison DC.](#) [Related Articles, Links](#)



Therapeutic efficacy of a polymyxin B-dextran 70 conjugate in experimental model of endotoxemia.

Antimicrob Agents Chemother. 1995 Jul;39(7):1462-6.

PMID: 7492086 [PubMed - indexed for MEDLINE]

- ☐ **38:** [Rogy MA, Auffenberg T, Espat NJ, Philip R, Remick D, Wollenberg GK, Copeland EM 3rd, Moldawer LL.](#) [Related Articles, Links](#)



Human tumor necrosis factor receptor (p55) and interleukin 10 gene transfer in the mouse reduces mortality to lethal endotoxemia and also attenuates local inflammatory responses.

J Exp Med. 1995 Jun 1;181(6):2289-93.

PMID: 7760015 [PubMed - indexed for MEDLINE]

- ☐ **39:** [Wysocka M, Kubin M, Vieira LQ, Ozmen L, Garotta G, Scott P, Trinchieri G.](#) [Related Articles, Links](#)



Interleukin-12 is required for interferon-gamma production and lethality in lipopolysaccharide-induced shock in mice.

Eur J Immunol. 1995 Mar;25(3):672-6.

PMID: 7705395 [PubMed - indexed for MEDLINE]

- ☐ **40:** [Bonventre PF, Heeg H, Edwards CK 3rd, Cullen CM.](#) [Related Articles, Links](#)



A mutation at histidine residue 135 of toxic shock syndrome toxin yields an immunogenic protein with minimal toxicity.



Infect Immun. 1995 Feb;63(2):509-15.

PMID: 7822015 [PubMed - indexed for MEDLINE]

Display	Summary	Show	20	Sort	Send to	Text
Items 21-40 of 80			Previous Page 2 of 4 Next			

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Jun 12 2003 10:19:17



PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books
Search PubMed	▼ for lethal toxin neutralizing factor						Go	Clear
Limits		Preview/Index		History		Clipboard		Details

Display	Summary	▼	Show: 20	▼	Sort	▼	Send to	Text	▼
Items 1 - 20 of 80							Page 2	of 4 Next	

Entrez PubMed

- ☐ 1: [Hwang JH, Hwang JH, Chung HK, Kim DW, Hwang ES, Suh JM, Kim H, You KH, Kwon OY, Ro HK, Jo DY, Shong M.](#) [Related Articles, Links](#)

CXC chemokine receptor 4 expression and function in human anaplastic thyroid cancer cells.
J Clin Endocrinol Metab. 2003 Jan;88(1):408-16.
PMID: 12519884 [PubMed - indexed for MEDLINE]

PubMed Services

- ☐ 2: [Papasian CJ, Silverstein R, Gao JJ, Bamberger DM, Morrison DC.](#) [Related Articles, Links](#)

Anomalous role of tumor necrosis factor alpha in experimental enterococcal infection.
Infect Immun. 2002 Dec;70(12):6628-37.
PMID: 12438335 [PubMed - indexed for MEDLINE]

- ☐ 3: [Nagaoka I, Hirota S, Niyonsaba F, Hirata M, Adachi Y, Tamura H, Tanaka S, Heumann D.](#) [Related Articles, Links](#)

Augmentation of the lipopolysaccharide-neutralizing activities of human cathelicidin CAP18/LL-37-derived antimicrobial peptides by replacement with hydrophobic and cationic amino acid residues.
Clin Diagn Lab Immunol. 2002 Sep;9(5):972-82.
PMID: 12204946 [PubMed - indexed for MEDLINE]

Related Resources

- ☐ 4: [Wolski VM, Soltys AM, Brunton JL.](#) [Related Articles, Links](#)

Tumour necrosis factor alpha is not an essential component of verotoxin 1-induced toxicity in mice.
Microb Pathog. 2002 Jun;32(6):263-71.
PMID: 12137753 [PubMed - indexed for MEDLINE]

- ☐ 5: [Gaur R, Gupta PK, Banerjee AC, Singh Y.](#) [Related Articles, Links](#)

Effect of nasal immunization with protective antigen of Bacillus anthracis on protective immune response against anthrax toxin.
Vaccine. 2002 Jun 21;20(21-22):2836-9.
PMID: 12034111 [PubMed - indexed for MEDLINE]

- ☐ 6: [Lipps BV.](#) [Related Articles, Links](#)

Restoration of nerve growth factor in organs of mice injected with cobra venom followed by specific treatment and reversal period.
J Nat Toxins. 2002 May;11(2):87-93.
PMID: 12009116 [PubMed - indexed for MEDLINE]